

ILLUSTRATIVE SAMPLE REPORT

Network, Firewall & VPN Security

Security assessment report | fictional scenario

Prepared by Ovid Technologies Private Limited, Visakhapatnam, India

Document	Illustrative example only
Scenario	A fictional pfSense and OpenVPN environment
Status	Fictional findings; no customer systems assessed
Distribution	Public sample - contains no customer information

This document demonstrates a possible report format. Every organization, asset, observation, risk and remediation example is fictional. It is not evidence of an engagement, certification, compliance or a guarantee of security.

1. Executive summary

This sample illustrates how a scoped review could communicate risks and practical next steps to management and technical teams. The fictional scenario is A fictional pfSense and OpenVPN environment. No live testing was performed for this document.

Illustrative risk profile

Priority	Sample count	Interpretation
High	1	Address promptly after validating business context and change dependencies.
Medium	2	Schedule improvements according to exposure and operational priorities.
Low / informational	0	No example findings in this sample.

Key decisions for management

Assign accountable owners, confirm the affected inventory and approve a remediation schedule. Where operational changes are required, agree maintenance windows, backups, testing and rollback before implementation.

Limitations

A real engagement is limited to its authorized scope, access, timing and agreed testing methods. Severity depends on context and should be reassessed by the customer. An assessment cannot establish that a system is completely secure.

2. Scope and assessment approach

Area	Illustrative engagement boundary
System	A fictional pfSense and OpenVPN environment
Access	Customer-approved test accounts, configuration exports or controlled access as appropriate.
Excluded	Unapproved assets, destructive testing, social engineering and physical access.
Authorization	Written authorization and rules of engagement are agreed before testing.
Production	Non-disruptive methods preferred; intrusive testing requires separate approval.

Methodology

1. Confirm business objectives, assets, contacts and written authorization. 2. Establish rules of engagement and test conditions. 3. Review the agreed architecture and configurations. 4. Perform authorized automated and manual checks. 5. Validate observations, assess impact and document evidence. 6. Agree findings, remediation priorities and any retesting.

Risk classification

The sample uses High and Medium as qualitative priorities based on plausible impact and exposure. These are not calculated CVSS scores. A real assessment may use CVSS where appropriate, with assumptions and environmental factors documented.

Handling and confidentiality

A real report and its evidence should be shared only through approved channels. Avoid including real credentials or sensitive records in public enquiries. Confidential customer information is not shared with external AI services without appropriate authorization.

3. Illustrative findings register

ID	Priority	Finding
S-01	High	Management interface reachable from user network
S-02	Medium	Legacy broad firewall rule has no documented owner
S-03	Medium	VPN account review not scheduled

The following findings are invented examples. Evidence descriptions are synthetic and are not observations from a customer environment.

S-01 | High | Management interface reachable from user network

Illustrative evidence: A fictional firewall rule allows administrative interface access from the general user VLAN.

Potential business impact: Compromised user endpoints could attempt administrative access.

Recommended action: Permit management access only from authorized administrative networks and accounts.

Verification: Confirm the approved change is deployed, exercise the original test condition and relevant negative cases, and retain appropriately protected evidence.

S-02 | Medium | Legacy broad firewall rule has no documented owner

Illustrative evidence: A sample allow rule spans multiple subnets without a business justification.

Potential business impact: Unnecessary network paths can enable lateral movement.

Recommended action: Review rule usage, assign an owner and replace broad access with specific rules.

Verification: Confirm the approved change is deployed, exercise the original test condition and relevant negative cases, and retain appropriately protected evidence.

S-03 | Medium | VPN account review not scheduled

Illustrative evidence: The illustrative VPN configuration has no recorded recurring review of active accounts.

Potential business impact: Unused access may remain available after users change roles.

Recommended action: Review VPN identities periodically and promptly revoke unneeded access.

Verification: Confirm the approved change is deployed, exercise the original test condition and relevant negative cases, and retain appropriately protected evidence.

4. Remediation and verification plan

Stage	Suggested activity	Owner
1. Triage	Confirm affected assets and business impact; assign priority.	Customer owner
2. Plan	Approve change scope, maintenance window, backup and rollback.	Change owner
3. Implement	Apply the agreed engineering or configuration correction.	Delivery team
4. Verify	Test intended behavior and negative cases; check for regressions.	Customer / agreed reviewer
5. Close	Record evidence, residual risk and approval or exception.	Risk owner

Retesting

Retesting can be agreed as a separate engagement component. A real verification report should identify the original finding, changes examined, test date, test result, residual limitations and evidence reference. Remediation is performed only under an agreed scope and change authorization.

Independence

If a contract requires independent assessment, any potential conflict when OVID performs both assessment and remediation must be disclosed and managed under the agreed engagement terms.

5. Technical references

Assessment methods can be informed by OWASP Top 10, OWASP Web Security Testing Guide, OWASP API Security Top 10, OWASP ASVS, CIS Benchmarks, CVSS, CWE, CVE and NIST cybersecurity guidance as applicable. These references do not imply accreditation or endorsement.

Official resources: owasp.org | cisecurity.org | first.org/cvss | cwe.mitre.org | cve.org | nist.gov/cyberframework

Discuss a project: sales@ovid.in | +91 85229 01661 | ovid.in

6. Assessment planning worksheet

The following worksheet illustrates the information a delivery team would agree before assessing A fictional pfSense and OpenVPN environment. Entries are hypothetical and would be replaced with customer-approved details in an actual engagement.

Planning item	Illustrative entry
Business objective	Understand exposure and prioritize practical corrections.
Asset owner	Customer-appointed technical owner and escalation contact.
Environment	A fictional non-production environment with representative configuration.
Test identities	Separate least-privilege test identities for each relevant role.
Data handling	Synthetic records only; approved secure evidence storage.
Change control	No changes without separate authorization and rollback planning.
Stop conditions	Unexpected service degradation, unapproved asset discovery or customer request.
Communications	Agree status updates, escalation channels and incident contacts.

Scope confirmation

Before work starts, the customer and assessment team should confirm in-scope assets, exclusions, test hours, access boundaries, data handling, emergency contacts and the expected deliverables. Availability of a particular test depends on access and the agreed scope.

7. Test scenarios and coverage

These examples show how the fictional findings could be investigated. They are not an exhaustive security checklist or evidence of tests performed.

Scenario	Illustrative validation and expected result
T-01 | Management interface reachable from user network	Review the relevant configuration or test path. Expected: controls prevent the condition and the result is recorded without accessing real customer data.
T-02 | Legacy broad firewall rule has no documented owner	Review the relevant configuration or test path. Expected: controls prevent the condition and the result is recorded without accessing real customer data.
T-03 | VPN account review not scheduled	Review the relevant configuration or test path. Expected: controls prevent the condition and the result is recorded without accessing real customer data.

Coverage and constraints

Document tested assets, versions, roles and time window alongside the results. A control not assessed should be marked not tested rather than passed. Manual validation complements automated checks; the depth of review depends on the agreed access and scope.

Evidence quality

Record the test context, sanitized request or configuration excerpt, expected result, observed result and enough detail to reproduce safely. Protect raw evidence and remove secrets and personal data before including excerpts in a report.

8. Worked finding and evidence record

The example below demonstrates a technical finding record. Values and identifiers are invented for this document.

Field	Illustrative value
Finding ID	S-01
Title	Management interface reachable from user network
Priority	High - qualitative example; not a CVSS score
Affected asset	sample-system.example.invalid - fictional asset
Preconditions	Authorized test identity and an approved test environment.
Evidence	A fictional firewall rule allows administrative interface access from the general user VLAN.
Expected result	The relevant security control prevents the condition and records the event where appropriate.
Observed result	The fictional observation in this example differs from the expected result.
Impact	Compromised user endpoints could attempt administrative access.
Remediation	Permit management access only from authorized administrative networks and accounts.

Evidence handling

Example evidence is descriptive and contains no actual credentials, payloads or customer information. A real report may include sanitized screenshots, configuration excerpts or references to securely stored evidence, as agreed with the customer.

9. Detailed remediation workplan

Suggested sequencing is illustrative. A real plan depends on ownership, system dependencies, business criticality and approved change windows.

Finding	Change preparation	Acceptance criteria
S-01: Management interface reachable from user network	Identify owner; review dependencies; back up configuration; agree rollback.	Permit management access only from authorized administrative networks and accounts. Verify expected operations and denied cases.
S-02: Legacy broad firewall rule has no documented owner	Identify owner; review dependencies; back up configuration; agree rollback.	Review rule usage, assign an owner and replace broad access with specific rules. Verify expected operations and denied cases.
S-03: VPN account review not scheduled	Identify owner; review dependencies; back up configuration; agree rollback.	Review VPN identities periodically and promptly revoke unneeded access. Verify expected operations and denied cases.

Change safety

Before implementation, verify recovery arrangements and obtain explicit approval. Test in staging where available, monitor the change, document the outcome and retain a rollback path. Escalate unexpected impact to the customer contact and stop work when agreed conditions require it.

Residual risk and exceptions

Where an action is deferred, document the reason, owner, compensating controls, review date and approval. Record residual risk as a customer decision rather than representing an open finding as resolved.

10. Verification checklist and report glossary

Use this checklist as an example of the information a customer may request when verification is included in scope.

Check	Evidence to retain
Scope confirmed	Approved asset and finding list; authorized test conditions.
Fix deployed	Change reference, deployment date and configuration or version.
Original condition	Sanitized result showing whether the original condition remains.
Negative tests	Results for unauthorized roles, paths or configurations where applicable.
Regression tests	Evidence that intended application or infrastructure functions still work.
Closure	Reviewer decision, residual limitations, customer owner and date.

Glossary

Finding: a validated observation relevant to security. Evidence: information supporting an observation. Risk: potential impact considered with exposure and context. Remediation: an authorized change to reduce risk. Retest: verification of an agreed correction. Residual risk: risk remaining after treatment.

Sample document notice

All systems, findings and evidence in this document are fictional. The format illustrates possible deliverables; actual scope, methods, findings, severity, evidence and report contents are agreed for each engagement.